

Tomorrow's Technology Today



Low Voltage Electronic Specialist

TIPS FOR VIEWING THIS PRESENTATION:

1. Take advantage of the built-in **Table of Contents** by clicking on the **palette icon** (show/hide navigation pane) located just to the right of the printer icon. Or you can go up to **WINDOW...** then select **Show Bookmarks**.
2. After selecting from the menu on the left, click on the palette icon once more and the selected section will open full screen for easy viewing.
3. To go to a website on the Internet from this pdf file, right click on the web or email address, then select **"Open Weblink in Browser"**.



Pro Series™ 8 Electronic Distribution Panel

The Pro 8 collects and distributes signals from computers, printers, telephones, modems, DSL, I DSN, cable and satellite TV, HDTV, VCRs, laser disc players, camcorders, DVDs, and closed-circuit security cameras. In addition, it supports Key System Unit (KSU) phone systems, which provide benefits such as intercom, multiple lines, and background music over the phone speakers.

The Pro 8 provides distribution of Cat 5e voice/data lines, RG-6 quad-shielded coaxial cables, and multi-mode fiber optic cables to 8 zones or receptacles and includes 6 extra ports per zone for expansion. The number and configuration of each zone can be varied to meet the needs of each project. Three modular hubs included as standard equipment are the HBSI (Service Input Hub), the HBT-124P (4 lines to 11 location Telephone Hub with two built-in Telco/Amphenol connectors), and the HBC-808 (8 in, 8 out Coax Hub with built-in amplification). The Pro 8 includes three expansion slots for adding additional Expansion Hubs and ships with a metal, wall mount housing.

Part No. P08

Dimensions with Housing:

21.5" W x 30 5/8" H x 7" D

(54.6cm W x 77.8 cm H x 17.7 cm D)

Approximate weight:

28 lbs. (12.7 kgs)



1242 Luna Pl., Honolulu, Hawaii 96822

Office: (808) 531-5919

Cell: (808) 722-8677

Website: www.aicorp.net

Email: sales@aicorp.net